



Physical and chemical aging in chalcogenide glasses

An invited talk

Yue, Yuanzheng; Jensen, Martin; Smedskjær, Morten Mattrup; Wang, W.; Chen, G. R.

Publication date:
2010

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Yue, Y., Jensen, M., Smedskjær, M. M., Wang, W., & Chen, G. R. (2010). *Physical and chemical aging in chalcogenide glasses: An invited talk*. Abstract from 17th International Symposium on Non-Oxide and New Optical Glasses, Ningbo, China.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

PHYSICAL AND CHEMICAL AGING IN CHALCOGENIDE GLASSES

Yuanzheng Yue^{1*}, Martin Jensen¹, Morten M. Smedskjaer¹, Wei Wang², Guorong Chen²

¹*Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark – yy@bio.aau.dk*

²*School of Materials Science and Engineering, East China University of Science and Technology, Shanghai 200237, China*

The chalcogenide glasses are an important group of functional materials. It is known that the optical and photonic functions of chalcogenide glasses strongly depend on their chemical variations, and hence, on their microstructures. However, one crucial question has not been fully answered in literature, i.e., how do the structure and properties of chalcogenide glasses react to physical and chemical aging processes at or below the glass transition temperature (T_g)? In this study, we perform systematic aging experiments on six types of chalcogenide glasses at various temperatures at or below T_g for different durations in different gases. Afterwards we determine the consequences of the aging process to the glass transition, structure and properties. The aged samples are characterized with respect to both surface and bulk properties by means of differential scanning calorimetry (DSC), thermogravimetry (TG), Vickers indentation, secondary neutral particle mass spectroscopy (SNMS) and optical spectroscopy. The T_g values, the fictive temperatures and the fragility indices of the glasses are determined by DSC, while the oxidation extents of the glasses are estimated using TG. We have found that both the aging and the sample preparation histories exert dramatic impact on the glass transition of chalcogenide glasses. After aging the samples in atmospheric air, we have observed a remarkable ‘anionic’ inward diffusion process, i.e., diffusion of anions (like Se^{2-} and S^{2-}) from the surface to the. A concomitant enrichment of cations takes places in the surface layer. As a result, the glass surface becomes softer as the hardness of glass drops with increasing aging duration. The mechanism of the anionic inward diffusion is explained in terms of the structural topology, the liquid fragility, the ionic field strength and the kinetics. The compositional dependence of the inward diffusion is determined to understand the effect of the chemical bonding nature on the diffusion. Furthermore, we study the changes in optical properties of the samples with increasing the degree of annealing and with varying the atmospheric conditions.

Keywords: *chalcogenide glasses, physical aging, glass transition, fictive temperatures, diffusion, hardness and optical properties.*